



LARKIN

NOW AVAILABLE:

2-1/4" OD V-STYLE PACKING

**Premium Nitrile Sealing Upgrade
for Jack Boxes & Wheel-Handle Stuffing Boxes**

- ✓ Layered V-ring design ensures superior sealing performance
- ✓ Reinforced nitrile resists abrasion and extends service intervals under sweet-crude conditions
- ✓ Precision fit for 2-1/4" OD stuffing boxes
- ✓ Ideal for jack boxes and wheel-handle stuffing boxes
- ✓ A smart upgrade that delivers reliability where it counts



**INDUSTRY APPLICATION
NOTE**

2-7/8" 8RD wheel-handle stuffing boxes require 2-1/2" OD V-Style Packing -which Larkin Products currently stocks.

Item #	Description
0490040600	V-STYLE PACKING NITRILE 1-1/8" (2-1/4" OD)
0490040700	V-STYLE PACKING NITRILE 1-1/4" (2-1/4" OD)
0490040800	V-STYLE PACKING NITRILE 1-5/16" (2-1/4" OD)
0490040900	V-STYLE PACKING NITRILE 1-3/8" (2-1/4" OD)
0490041000	V-STYLE PACKING NITRILE 1-1/2" (2-1/4" OD)

220 N Boston Ave • Tulsa, OK 74103

www.larkinproductsinc.com • 918-584-3475 • sales@bairdvalve.com



LARKIN

www.larkinproductsinc.com • 918.584.3475

www.bairdmfr.com • 918.582.2225


Larkin Products is pleased to introduce the SBDP Compression Bolt Socket (DP-10), designed for ease of use in tightening or loosening compression bolts on stuffing boxes. This tool offers an efficient and reliable solution for maintaining and servicing equipment with compression bolts.

**NEW
PRODUCTS**



#051-052-0001

Crafted from 1018 steel for enhanced durability, making it less prone to stripping.



DP-10

sales@bairdvalve.com



LARKIN

www.larkinproductsinc.com • 918.584.3475

www.bairdmfr.com • 918.582.2225

Now available from Larkin Products is the LE-LUG, Larkin Environmental Leak Detector, V style packing and followers. If there is stuffing box leakage, the Larkin Environmental Leak Detector will shut down the pumping unit to reduce spills. Great for preventative maintenance and stops ground pollution for a clean location.



NEW PRODUCTS



- Double Pack Stuffing box with LE-LUG & Larkin Environmental Leak Detector

- LE-LUG

- Connects to any cone type stuffing box
- Has a 3/4" port to connect the leak detector and grease zert
- Uses V style packing and followers
- Provides a secondary seal to prevent leaking
- 1-1/8" thru 1-3/4" sizes are available



- V STYLE PACKING & FOLLOWERS



Nitrile Rubber

- 1-1/8" thru 1-3/4" sizes are available

- LARKIN ENVIRONMENTAL LEAK DETECTOR



- NEC class 1, Div. 1 rated
- Open and closed circuit
- Explosion proof switch
- Float style leak detectors
- 3/4" nipple provided to connect to LE-LUG
- Plastic and stainless steel canisters available

LARKIN

NOW AVAILABLE:

BIG LARKIN 3K

HEAVY-DUTY
STUFFING BOX



MADE IN THE USA

**STANDARD CONFIGURATION:
DOME PACKING WITH SPLIT
BRONZE RINGS**

Call 918-584-3475
www.larkinproductsinc.com

SPECS AT A GLANCE

- Working pressure: 3K (3,000 PSI)
 - Connections: 2-3/8" 8RD EUE & 2-7/8" 8RD EUE (additional sizes available upon request)
 - Standard internal sizes: 1-1/2" & 1-3/4" (additional sizes available upon request)
 - Packing: Nitrile (NBR) Dome packing with split bronze rings. (HSN also available)
 - Material: API 6A Grade 60K Cast Steel
- Threaded cap for fast, even adjustment
 - Dome packing built for tough service
 - Split bronze ring followers help maintain packing alignment for longer life and easier change-outs
 - Designed to accommodate rod-string movement without over-compressing the packing
 - Grease zerk with auxiliary 1/4" NPT port (plugged)

**NOW
IN STOCK!**

LARKIN

NOW AVAILABLE:

DOMESTIC PACKING

★ ★ AND ★ ★
SPLIT BRONZE RINGS



SPECS AT A GLANCE

- Fits rod sizes: 1-1/2" & 1-3/4" (additional sizes available upon request)
 - Packing type: Dome-style rubber packing
 - Elastomer options: NBR (standard) or HSN (sour/heat upgrade)
 - Temperature rating: NBR up to 250°F; HSN up to 325°F
 - Sour gas capability: NBR up to 2% H₂S; HSN up to 10% H₂S
 - CO₂ capability: NBR up to 5%; HSN up to 20% CO₂
- Lower friction / less heat: Dome profile and seal design reduce drag on the polished rod to help cut heat
 - Tighter seal under changing pressure: Dome geometry turns compression into a consistent radial seal around the rod
 - More stable packing stack: Split bronze rings help keep the packing centered and supported for smoother operation
 - Easier service: Designed for faster change-outs (less fighting stuck packing and less downtime)



MADE IN THE USA

COMPATIBLE WITH BIG-STYLE &
TRADITIONAL CONE-TYPE
STUFFING BOXES

Call 918-584-3475
www.larkinproductsinc.com

NOW
IN STOCK!

LARKIN

LARKIN **ALUMINUM BRONZE** **HEAVY PUMPING TEES**

Strong. Durable. Built for Pumping Service.



ASTM B148 / C05400



3000 PSI MAX WP



FEATURES



Heavy wall construction



**ASTM B148 / C05400
aluminum bronze**



**Corrosion-resistant
material**



**Built for
pumping service**



Additional 2\"/>

AVAILABLE CONFIGURATIONS

0542121240-B

2-3/8\"/>

0543131240-B

2-7/8\"/>



**MADE IN
THE USA**



918-584-3475



LarkinProductsInc.com



LarkinProductsInc.com



918-584-3475